

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name : Cephapirin / Prednisolone Formulation

Other means of identification : Mastiplan (A011329)

1.2 Relevant identified uses of the substance or mixture and uses advised againstUse of the Sub-
stance/Mixture : Veterinary productRecommended restrictions
on use : Not applicable**1.3 Details of the supplier of the safety data sheet**Company : MSD
20 Spartan Road
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com**1.4 Emergency telephone number**

+1-908-423-6000

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Respiratory sensitisation, Category 1 H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal word : Danger

Hazard statements : H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Cephapirin / Prednisolone Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 764063-00020 Date of last issue: 28.09.2024
Date of first issue: 16.06.2016

Precautionary statements :

Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cefapirin

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cefapirin	21593-23-7 244-466-5	Resp. Sens. 1A; H334	$\geq 1 - < 10$
prednisolone	50-24-8 200-021-7	Acute Tox. 4; H302 Repr. 2; H361d STOT RE 1; H372 (Bone marrow, Adrenal gland, Liver) Aquatic Chronic 2; H411	$\geq 0,25 - < 1$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides
Silicon oxides

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

for firefighters	Use personal protective equipment.
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
----------------------	--

6.2 Environmental precautions

Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.
-------------------------	---

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes.

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Keep tightly closed.
Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Cefapirin	21593-23-7	TWA	0.4 mg/m3 (OEB 2)	Internal
Further information: RSEN				
prednisolone	50-24-8	TWA	10 µg/m3 (OEB 3)	Internal
		Wipe limit	100 µg/100 cm ²	Internal

8.2 Exposure controls**Engineering measures**

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection	:	Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection		
Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	:	Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance	:	liquid, oily
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

9.2 Other information

Molecular weight	:	No data available
Particle size	:	No data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Can react with strong oxidizing agents.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	None known.
---------------------	---	-------------

10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents
--------------------	---	------------------

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Cefapirin:**

Acute oral toxicity : LD50 (Mouse): 26.000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Mouse): > 7.600 mg/kg
Application Route: Intraperitoneal

LD50 (Rat): 7.800 mg/kg
Application Route: Intraperitoneal

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1.680 mg/kg
LD50 (Rat): > 3.857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 767 mg/kg
Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Components:**prednisolone:**

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:**prednisolone:**

Remarks : No data available

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**Cefapirin:**

Assessment : Probability or evidence of high respiratory sensitisation rate in humans

prednisolone:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:**Cefapirin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

prednisolone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Test Type: sister chromatid exchange assay
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Oral
Result: negative

Test Type: sister chromatid exchange assay
Species: Humans
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**prednisolone:**

Species : Rat
Application Route : Oral

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

Exposure time : 18 Months
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:**Cefapirin:**

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Intraperitoneal injection
Fertility: LOAEL: > 500 mg/kg body weight
Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal injection
Developmental Toxicity: LOAEL: > 200 mg/kg body weight

prednisolone:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Subcutaneous
Fertility: NOAEL: 1 mg/kg body weight
Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: LOAEL: 0,5 mg/kg body weight
Result: Malformations were observed., Cleft palate

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Result: decreased blood formation

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: NOAEL: 25 mg/kg body weight
Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

Components:**prednisolone:**

Target Organs	:	Bone marrow, Adrenal gland, Liver
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Cefapirin:**

Species	:	Rat
LOAEL	:	>= 200 mg/kg
Application Route	:	Intraperitoneal
Target Organs	:	Blood
Remarks	:	anemia

Species	:	Dog
LOAEL	:	20 mg/kg
Application Route	:	Oral
Exposure time	:	4 Months
Target Organs	:	Gastrointestinal tract

Species	:	Dog
LOAEL	:	100 mg/kg
Application Route	:	Intramuscular
Exposure time	:	10 Months
Target Organs	:	Blood, Gastrointestinal tract
Remarks	:	anemia

prednisolone:

Species	:	Rat
LOAEL	:	0,6 mg/kg
Application Route	:	Oral
Exposure time	:	63 Days
Target Organs	:	Bone marrow

Species	:	Dog
LOAEL	:	2,5 mg/kg
Application Route	:	Oral
Exposure time	:	6 Weeks
Target Organs	:	Adrenal gland

Species	:	Rabbit
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	24 Weeks
Target Organs	:	Liver

Aspiration toxicity

Not classified based on available information.

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

Experience with human exposure**Components:****Cefapirin:**

Ingestion : Symptoms: Nausea, Vomiting, Abdominal pain, Diarrhoea, vaginitis, colitis, anorexia, Rash, anaphylaxis

prednisolone:

Ingestion : Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities

SECTION 12: Ecological information**12.1 Toxicity****Components:****prednisolone:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 85 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,23 mg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia (water flea)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential**Components:****prednisolone:**

Partition coefficient: n-octanol/water : log Pow: 1,46

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

12.6 Other adverse effects**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information**14.1 UN number**

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
IATA	: Not regulated as a dangerous good

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H302	:	Harmful if swallowed.
H334	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H361d	:	Suspected of damaging the unborn child.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Chronic	:	Long-term (chronic) aquatic hazard

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

Repr.	:	Reproductive toxicity
Resp. Sens.	:	Respiratory sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Resp. Sens. 1 H334

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

Cephapirin / Prednisolone Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
8.1	14.04.2025	764063-00020	Date of first issue: 16.06.2016

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN