

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Enrofloxacin (2.5%) Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Walton Manor, Walton  
MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

- Hazard pictograms :
- Signal word : Warning
- Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.
- Precautionary statements : **Prevention:**  
P273 Avoid release to the environment.  
**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

Enrofloxacin

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Enrofloxacin	93106-60-6	Acute Tox. 4; H302 Repr. 2; H361f STOT RE 1; H372 (cartilage, Testis) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 2.5 - < 3
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319	>= 1 - < 10

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- |                            |   |   |
|----------------------------|---|---|
| General advice             | : | In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.  |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| If inhaled                 | : | If inhaled, remove to fresh air.<br>Get medical attention.  |
| In case of skin contact    | : | In case of contact, immediately flush skin with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |
| In case of eye contact     | : | Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.  |
| If swallowed               | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.   |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |       |   |  |
|-------|---|--|
| Risks | : | May cause damage to organs through prolonged or repeated exposure. |
|-------|---|--|

#### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |   |   |
|-----------|---|---|
| Treatment | : | Treat symptomatically and supportively. |
|-----------|---|---|

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

- |                                |   |  |
|--------------------------------|---|--|
| Suitable extinguishing media   | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical |
| Unsuitable extinguishing media | : | None known.  |

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

---

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe the mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.
- Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

- Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
------------	---------	------------------	--------------------	-------

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

		of exposure)		
Enrofloxacin	93106-60-6	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal

### Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m <sup>3</sup>
	Workers	Inhalation	Acute systemic effects	110 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5.4 mg/m <sup>3</sup>
	Consumers	Inhalation	Acute systemic effects	27 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day

### Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
Benzyl alcohol	Fresh water	1 mg/l
	Marine water	0.1 mg/l
	Intermittent use/release	2.3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5.27 mg/kg
	Marine sediment	0.527 mg/kg
	Soil	0.456 mg/kg

## 8.2 Exposure controls

### Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

---

Hand protection	aerosols.
Material	: Chemical-resistant gloves
Skin and body protection	: Work uniform or laboratory coat.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387
Filter type	: Combined particulates and organic vapour type (A-P)

---

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

---

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Flammability (liquids) : No data available

Particle size : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

---



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

### Components:

#### **Enrofloxacin:**

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg  
LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

#### **Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,620 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **Enrofloxacin:**

Result : No skin irritation

#### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

### Components:

#### **Enrofloxacin:**

Result : Mild eye irritation

#### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Enrofloxacin:

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

##### Benzyl alcohol:

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Enrofloxacin:

Genotoxicity in vitro : Test Type: Chromosomal aberration  
Result: positive

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Result: negative

Test Type: Mammalian bone marrow sister chromatid exchange  
Species: Hamster  
Result: negative

Test Type: Chromosomal aberration  
Species: Rat  
Result: negative

##### Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo)

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### Carcinogenicity

Not classified based on available information.

#### Components:

##### **Enrofloxacin:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
Result : negative

##### **Benzyl alcohol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### **Enrofloxacin:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
Fertility: LOAEL: 15 mg/kg body weight  
Result: Effects on fertility, alteration in sperm morphology

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 210 mg/kg body weight  
Result: Reduced foetal weight, No teratogenic effects  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: No fetotoxicity, No teratogenic effects

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### **Benzyl alcohol:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

### **Components:**

#### **Enrofloxacin:**

Target Organs : cartilage, Testis  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

#### **Enrofloxacin:**

Species : Rat  
NOAEL : 36 mg/kg  
LOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Testis

Species : Dog  
NOAEL : 3 mg/kg  
LOAEL : 9.6 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : cartilage

Species : Cat  
NOAEL : 25 mg/kg  
Application Route : Oral  
Exposure time : 30 Days

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

Remarks : No significant adverse effects were reported

### **Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

### **Components:**

#### **Enrofloxacin:**

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light

## SECTION 12: Ecological information

### 12.1 Toxicity

#### **Components:**

#### **Enrofloxacin:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 79.5 mg/l  
Exposure time: 96 h  
  
LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l  
Exposure time: 96 h  
  
LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Hyalella azteca (Amphipod)): > 206 mg/l  
Exposure time: 96 h  
  
EC50 (Daphnia magna (Water flea)): 79.9 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l  
Exposure time: 72 h  
  
EC50 (Microcystis aeruginosa (blue-green algae)): 0.049 mg/l  
Exposure time: 5 d

M-Factor (Acute aquatic toxicity) : 10

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 9.8 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

NOEC: 5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

LOEC: 15 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

### **Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 51 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

## 12.2 Persistence and degradability

### Components:

#### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

## 12.3 Bioaccumulative potential

### Components:

#### **Enrofloxacin:**

Partition coefficient: n- : log Pow: 0.5

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

---

octanol/water

### **Benzyl alcohol:**

Partition coefficient: n-  
octanol/water : log Pow: 1.05

### 12.4 Mobility in soil

#### Components:

#### **Enrofloxacin:**

Distribution among environ-  
mental compartments : Koc: 5.55

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## SECTION 14: Transport information

### 14.1 UN number

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

**ADN** : UN 3082  
**ADR** : UN 3082  
**RID** : UN 3082  
**IMDG** : UN 3082  
**IATA** : UN 3082

### 14.2 UN proper shipping name

**ADN** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
( )  
**ADR** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
( )  
**RID** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
( )  
**IMDG** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
( )  
**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
( )

### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
<b>ADN</b>	: 9	
<b>ADR</b>	: 9	
<b>RID</b>	: 9	
<b>IMDG</b>	: 9	
<b>IATA</b>	: 9	

### 14.4 Packing group

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**  
Packing group : III



# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

---

Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version 3.2      Revision Date: 30.09.2023      SDS Number: 9372666-00006      Date of last issue: 04.04.2023  
Date of first issue: 27.08.2021

---

UK REACH List of restrictions (Annex 17) : Conditions of restriction for the following entries should be considered: Number on list 3

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH)

		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

### Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

## 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

lines.

### Full text of H-Statements

H302	:	Harmful if swallowed.
H319	:	Causes serious eye irritation.
H332	:	Harmful if inhaled.
H361f	:	Suspected of damaging fertility.
H372	:	Causes damage to organs through prolonged or repeated exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
Repr.	:	Reproductive toxicity
STOT RE	:	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Enrofloxacin (2.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
3.2	30.09.2023	9372666-00006	Date of first issue: 27.08.2021

---

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN