

Version 6.7	Revision Date: 28.09.2024		S Number: 3749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016	
SECTION	1. IDENTIFICATION				
Produ	Product name		Pentobarbital Sc	odium / Phenytoin Formulation	
Manu	afacturer or supplier	s detai	ils		
Company		:	MSD		
Address		:	Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP		
Telep	Telephone		908-740-4000		
Emer	Emergency telephone		1-908-423-6000		
E-ma	E-mail address		EHSDATASTEWARD@msd.com		
Reco	mmended use of the	chem	ical and restricti	ons on use	
Recommended use Restrictions on use		:	Veterinary produ Not applicable	uct	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification		
Flammable liquids	:	Category 3
Acute toxicity (Oral)	:	Category 3
Skin sensitization	:	Category 1
Carcinogenicity (Oral)	:	Category 2
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 1 (Central nervous system)
Specific target organ toxicity - repeated exposure	:	Category 2 (Central nervous system)
Short-term (acute) aquatic hazard	:	Category 3
Long-term (chronic) aquatic hazard	:	Category 3

GHS label elements



Version 6.7	Revision Date: 28.09.2024	SDS Number: 673749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016
Haza	rd pictograms		
Signa	al Word	: Danger	
Haza	rd Statements	H301 Toxic if H317 May cau H351 Suspect H361 Suspect H370 Causes H373 May cau through prolor	ble liquid and vapor. swallowed. use an allergic skin reaction. ted of causing cancer if swallowed. ted of damaging fertility or the unborn child. damage to organs (Central nervous system). use damage to organs (Central nervous system) nged or repeated exposure. to aquatic life with long lasting effects.
Preca	autionary Statements	P202 Do not h and understoo P210 Keep av and other igni P260 Do not b P264 Wash sl P270 Do not e P272 Contam the workplace	vay from heat, hot surfaces, sparks, open flames tion sources. No smoking. oreathe mist or vapors. kin thoroughly after handling. eat, drink or smoke when using this product. inated work clothing should not be allowed out of
			elease to the environment. otective gloves/ protective clothing/ eye protec- ection.
		Response: P301 + P310 POISON CEN P303 + P361 Iy all contamir P308 + P311 CENTER/ doc P333 + P313 vice/ attention	+ P330 IF SWALLOWED: Immediately call a ITER/ doctor. Rinse mouth. + P353 IF ON SKIN (or hair): Take off immediate- nated clothing. Rinse skin with water. IF exposed or concerned: Call a POISON stor. If skin irritation or rash occurs: Get medical ad-
		Storage: P405 Store lo Disposal:	cked up.
		-	of contents/ container to an approved waste

Other hazards which do not result in classification

Vapors may form explosive mixture with air.



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.7	28.09.2024	673749-00022	Date of first issue: 12.05.2016

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components		
Chemical name	CAS-No.	Concentration (% w/w)
Pentobarbital sodium	57-33-0	>= 30 -< 50
Ethanol#	64-17-5	>= 10 -< 20
Phenytoin sodium	630-93-3	>= 5 -< 10
Benzyl alcohol	100-51-6	>= 1 -< 5
# Voluntarily disclosed substance		· · ·

Voluntarily-disclosed substance

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution.
If swallowed	:	Get medical attention if irritation develops and persists. If swallowed, DO NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	Toxic if swallowed. May cause an allergic skin reaction. Suspected of causing cancer if swallowed. Suspected of damaging fertility or the unborn child. Causes damage to organs. May cause damage to organs through prolonged or repeated
Protection of first-aiders	:	exposure. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet



/ersion 6.7	Revision Date: 28.09.2024		0S Number: 3749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016	
	Specific hazards during fire fighting		fire. Flash back possib Vapors may form	d water stream as it may scatter and spread ble over considerable distance. explosive mixtures with air. bustion products may be a hazard to health.	
Hazar ucts	dous combustion prod-	:	Carbon oxides Nitrogen oxides (I Metal oxides	NOx)	
Specif ods	Specific extinguishing meth- ods		Use extinguishing measures that are appropriate to local c cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.		
	al protective equipment -fighters	:		e, wear self-contained breathing apparatus. active equipment.	
SECTION (6. ACCIDENTAL RELE	ASI	E MEASURES		
tive ec	nal precautions, protec- quipment and emer- procedures	:	Follow safe handl	es of ignition. ective equipment. ing advice (see section 7) and personal ent recommendations (see section 8).	
Enviro	Environmental precautions		Prevent spreading oil barriers). Retain and dispos	akage or spillage if safe to do so. g over a wide area (e.g., by containment or se of contaminated wash water. should be advised if significant spillages	
	ds and materials for nment and cleaning up	:	Suppress (knock jet. For large spills, pro- containment to ke can be pumped, so container. Clean up remaining absorbent. Local or national in disposal of this mo- employed in the co- determine which in Sections 13 and 1	s should be used. t absorbent material. down) gases/vapors/mists with a water spray rovide diking or other appropriate ep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.	

SAFETY DATA SHEET



Pentobarbital Sodium / Phenytoin Formulation

Version 6.7	Revision Date: 28.09.2024	SDS Number: 673749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016				
SECTION	7. HANDLING AND ST	TORAGE					
Techn	ical measures	: See Engineerin	g measures under EXPOSURE ERSONAL PROTECTION section.				
Local/	Total ventilation	: If sufficient ven ventilation.	 If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equip- 				
Advice	e on safe handling	: Do not get on s Do not breathe Do not swallow Avoid contact w Wash skin thore Handle in accor practice, based assessment Non-sparking to Keep container Keep away fror other ignition so Take precaution Do not eat, drin	mist or vapors. oughly after handling. rdance with good industrial hygiene and safety on the results of the workplace exposure pols should be used.				
Condi	tions for safe storage	: Keep in properl Store locked up Keep tightly clo Keep in a cool, Store in accord					
Materi	ials to avoid	: Do not store wi Strong oxidizing Self-reactive su Organic peroxic Flammable soli Pyrophoric liqui Pyrophoric solid Self-heating su Substances and flammable gase Explosives Gases	th the following product types: g agents lbstances and mixtures des ds ds ds bstances and mixtures d mixtures which in contact with water emit				

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Pentobarbital sodium	57-33-0	TWA	40µg/m3 (OEB3)	Internal
		Wipe limit	400µg/100cm2	Internal
Ethanol	64-17-5	CMP	1.000 ppm	AR OEL



	28.09.2024	0/3	3749-00022	Date of I	rst issue: 12.05.2016		
			Further inform	ation: A4 - Not	classifiable as a huma	n carcino	
				STEL	1.000 ppm	ACGIH	
Pheny	toin sodium/		630-93-3	TWA	50 µg/m3 (OEB3)	Internal	
				Wipe limit	500 µg/100 cm2	Internal	
Engin	neering measures	:	technologies less quick con All engineerin design and op protect produ Containment are required t	to control airbo nections). g controls sho perated in acco cts, workers, a technologies s o control at so d to uncontrolled devices).	g controls and manufactorne concentrations (e.g uld be implemented by ordance with GMP print and the environment. Buitable for controlling c urce and to prevent mig ed areas (e.g., open-factor	g., drip- facility ciples to ompound gration of	
			Use explosion equipment.	n-proof electric	al, ventilating and light	ing	
Perso	onal protective equipr	ment					
Filt	ratory protection ter type protection	:	exposure ass recommende	essment demo d guidelines, u	entilation is not availabl onstrates exposures ou se respiratory protectic organic vapor type	tside the	
	aterial	:	Chemical-res	istant gloves			
Re	emarks	:	flammable, w		ake note that the produc ct the selection of hand		
Еуе р	rotection	:	 protection. Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or 				
Skin a	and body protection	:	 aerosols. Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. 				
Hygie	ne measures	:	If exposure to eye flushing s working place When using o Contaminated workplace. Wash contam The effective engineering o	chemical is like systems and sa lo not eat, drin d work clothing inated clothing operation of a ontrols, proper	kely during typical use, afety showers close to t k or smoke. should not be allowed g before re-use. facility should include r r personal protective ec decontamination proce	out of the review of quipment,	



Version 6.7	Revision Date: 28.09.2024		S Number: 3749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016				
	use of administrative controls.							
SECTIO	SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES							
App	pearance	:	liquid					
Col	or	:	pink					
Odd	or	:	No data available	9				
Odd	or Threshold	:	No data available	9				
pН		:	No data available	9				
Mel	ting point/freezing point	:	No data available	9				
Initi ran	al boiling point and boiling ge	:	No data available	9				
Flas	sh point	:	44 - 60 °C					
Eva	poration rate	:	No data available	9				
Flai	nmability (solid, gas)	:	Not applicable					
Flai	nmability (liquids)	:	Not applicable					
	per explosion limit / Upper nmability limit	:	No data available					
	ver explosion limit / Lower nmability limit	:	No data available	9				
Vap	oor pressure	:	No data available	9				
Rel	ative vapor density	:	No data available	9				
Rel	ative density	:	No data available	9				
Der	nsity	:	No data available	9				
	ubility(ies) Water solubility	:	No data available	9				
	tition coefficient: n-	:	No data available	9				
	anol/water oignition temperature	:	No data available	9				
Dec	composition temperature	:	No data available	9				
	cosity Viscosity, kinematic	:	No data available	9				
Exp	losive properties	:	Not explosive					



ersion .7	Revision Date: 28.09.2024		S Number: 3749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016
Oxidizi	ng properties	:	The substance	or mixture is not classified as oxidizing.
Molecu	ılar weight	:	No data availal	ble
Particle Particle	e characteristics e size	:	No data availal	ble
ECTION 1	0. STABILITY AND R	EAC	ΤΙVITY	
	vity cal stability ility of hazardous reac-	:	Stable under n Flammable liqu Vapors may for	is a reactivity hazard. ormal conditions. id and vapor. m explosive mixture with air. strong oxidizing agents.
Incomp	ons to avoid patible materials lous decomposition ts	:	Heat, flames an Oxidizing agen No hazardous	
ECTION 1	1. TOXICOLOGICAL I	NFC	ORMATION	
Informa exposu	ation on likely routes of Ire	:	Inhalation Skin contact Ingestion Eye contact	
	toxicity swallowed.			
Produ	ct:			
	bral toxicity	:	Acute toxicity es Method: Calcula	stimate: 261,66 mg/kg ation method
Compo	onents:			
Pentol	parbital sodium:			
Acute of	oral toxicity	:	LD50 (Rat): 118	B mg/kg
			LD50 (Mouse):	239 mg/kg
			LD50 (Rabbit):	175 mg/kg
			LD50 (Dog): 65	mg/kg
Ethano	bl:			
	oral toxicity	:	LD50 (Rat): 10. Method: OECD	470 mg/kg Test Guideline 401
Acute i	nhalation toxicity	:	LC50 (Rat, male Exposure time: Test atmospher	4 h



rsion	Revision Date: 28.09.2024	SDS Number: 673749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016
Acute	e dermal toxicity	: LD50 (Rabb	t): > 15.800 mg/kg
Phen	ytoin sodium:		
	oral toxicity		y estimate: 100 mg/kg ert judgment
Benz	yl alcohol:		
Acute	oral toxicity	: LD50 (Rat):	1.200 mg/kg
Acute	inhalation toxicity	Method: OE	
-	corrosion/irritation		
	lassified based on ava	ilable information.	
	oonents:		
Ethar	-	5.1.1	
Speci Metho		: Rabbit	Guideline 404
Resu		: No skin irrita	
Benz	yl alcohol:		
Speci	es	: Rabbit	
Metho			Guideline 404
Resu	lt	: No skin irrita	tion
	us eye damage/eye		
	assified based on ava	ilable information.	
<u>Com</u>	oonents:		
Ethar	-		
Speci Resu		: Rabbit	veg reversing within 21 days
Metho			yes, reversing within 21 days Guideline 405
Benz	yl alcohol:		
Speci		: Rabbit	
Resu			yes, reversing within 21 days
Metho	Da	: OECD lest	Guideline 405
Resp	iratory or skin sensi	tization	
Skin	sensitization		



rsion ,	Revision Date: 28.09.2024	SDS Number: 673749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016					
Resp	iratory sensitizatior	ı						
Not cl	Not classified based on available information.							
Components:								
Ethar								
Test 7			velling test (MEST)					
Route Speci	es of exposure	: Skin contact : Mouse						
Resul		: negative						
Phen	ytoin sodium:							
Asses	ssment	: Probability or	evidence of skin sensitization in humans					
	yl alcohol:							
Test T		: Human repea : Skin contact	at insult patch test (HRIPT)					
Speci	es of exposure	: Skin contact : Humans						
Resul		: positive						
Asses	ssment	: Probability or rate in humar	evidence of low to moderate skin sensitization					
	a cell mutagenicity lassified based on av	ailable information.	15					
Not cl	lassified based on av	ailable information.	10					
Not cl <u>Comp</u> Ethar	lassified based on av	: Test Type: Ba	acterial reverse mutation assay (AMES) D Test Guideline 471					
Not cl <u>Comp</u> Ethar	lassified based on av ponents: nol:	: Test Type: Ba Method: OEC Result: negat Test Type: In	acterial reverse mutation assay (AMES) D Test Guideline 471 ive vitro mammalian cell gene mutation test D Test Guideline 476					
Not cl <u>Comp</u> Ethar	lassified based on av ponents: nol:	: Test Type: Ba Method: OEC Result: negat Test Type: In Method: OEC Result: negat	acterial reverse mutation assay (AMES) D Test Guideline 471 ive vitro mammalian cell gene mutation test D Test Guideline 476 ive hromosome aberration test in vitro					
Not cl <u>Comr</u> Ethar Geno	lassified based on av ponents: nol:	 Test Type: Ba Method: OEC Result: negat Test Type: In Method: OEC Result: negat Test Type: Cl Result: negat Test Type: M cytogenetic a Species: Rat 	acterial reverse mutation assay (AMES) D Test Guideline 471 ive vitro mammalian cell gene mutation test D Test Guideline 476 ive hromosome aberration test in vitro ive ammalian erythrocyte micronucleus test (in vivo ssay) oute: Ingestion					
Not cl <u>Comp</u> Ethar Geno	lassified based on av ponents: nol: toxicity in vitro	 Test Type: Ba Method: OEC Result: negat Test Type: In Method: OEC Result: negat Test Type: Cl Result: negat Test Type: M cytogenetic a Species: Rat Application R 	acterial reverse mutation assay (AMES) D Test Guideline 471 ive vitro mammalian cell gene mutation test D Test Guideline 476 ive hromosome aberration test in vitro ive ammalian erythrocyte micronucleus test (in vivo ssay) oute: Ingestion					
Not cl Comp Ethar Geno Geno	lassified based on av	 Test Type: Ba Method: OEC Result: negat Test Type: In Method: OEC Result: negat Test Type: Cl Result: negat Test Type: M cytogenetic a Species: Rat Application R Result: negat Test Type: Ba Result: negat 	acterial reverse mutation assay (AMES) D Test Guideline 471 ive vitro mammalian cell gene mutation test D Test Guideline 476 ive nromosome aberration test in vitro ive ammalian erythrocyte micronucleus test (in vive ssay) oute: Ingestion ive					



	Revision Date: 28.09.2024	SDS Number: 673749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016
		Result: nega Remarks: Ba	ative ased on data from similar materials
		malian cells Result: posit	n vitro sister chromatid exchange assay in marr tive ased on data from similar materials
Geno	toxicity in vivo	cytogenetic Species: Mo Application I Result: nega	buse Route: Ingestion
Benzy	yl alcohol:		
	toxicity in vitro	: Test Type: E Result: nega	Bacterial reverse mutation assay (AMES) ative
Geno	toxicity in vivo	cytogenetic Species: Mo	buse
		Result: nega	Route: Intraperitoneal injection ative
Suspe	nogenicity ected of causing cance ponents:	Result: nega	
Suspe <u>Comp</u>	ected of causing cance	Result: nega	
Suspe <u>Comp</u> Pheny Speci	ected of causing cance <u>conents:</u> ytoin sodium: es	Result: nega er if swallowed. : Rat	
Suspe <u>Comp</u> Pheny Speci Applic	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route	Result: nega er if swallowed. : Rat : Ingestion	
Suspe <u>Comp</u> Pheny Speci Applic	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route sure time	Result: nega er if swallowed. : Rat	
Suspe Comp Pheny Speci Applic Expos Resul	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route sure time t	Result: nega er if swallowed. : Rat : Ingestion : 2 Years : negative	
Suspeci Comp Pheny Speci Applic Expos Resul Speci Applic	ected of causing cance <u>ponents:</u> ytoin sodium: es cation Route sure time t es cation Route	Result: nega er if swallowed. : Rat : Ingestion : 2 Years : negative : Mouse : Ingestion	
Suspeci Comp Pheny Speci Applic Expos Resul Speci Applic Expos	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route sure time t es cation Route sure time	Result: nega er if swallowed. : Rat : Ingestion : 2 Years : negative : Mouse : Ingestion : 2 Years	
Suspeci Comp Pheny Speci Applic Expos Resul Speci Applic	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route sure time t es cation Route sure time	Result: nega er if swallowed. : Rat : Ingestion : 2 Years : negative : Mouse : Ingestion	
Suspe Comp Pheny Speci Applic Expos Resul Speci Applic Expos Resul	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route sure time t es cation Route sure time	Result: nega er if swallowed. : Rat : Ingestion : 2 Years : negative : Mouse : Ingestion : 2 Years : opositive	
Suspect Comp Pheny Speci Applic Expose Resul Speci Applic Expose Resul Carcin ment Benzy	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route sure time t es cation Route sure time t hogenicity - Assess- yl alcohol:	Result: nega er if swallowed. : Rat : Ingestion : 2 Years : negative : Mouse : Ingestion : 2 Years : positive : Limited evid	ative
Suspection Comp Pheny Specia Applica Expose Resul Specia Applica Expose Resul Carcin ment Benzy Specia	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route sure time t es cation Route sure time t hogenicity - Assess- yl alcohol: es	Result: nega er if swallowed. : Rat : Ingestion : 2 Years : negative : Mouse : Ingestion : 2 Years : positive : Limited evid : Mouse	ative
Suspect Comp Pheny Speci Applic Expose Resul Speci Applic Expose Resul Carcin ment Benzy Speci Applic	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route sure time t es cation Route sure time t hogenicity - Assess- yl alcohol: es cation Route	Result: nega er if swallowed. : Rat : Ingestion : 2 Years : negative : Mouse : Ingestion : 2 Years : positive : Limited evid : Mouse : Ingestion	ative
Suspect Comp Pheny Speci Applic Expose Resul Speci Applic Expose Resul Carcin ment Benzy Speci Applic	ected of causing cance <u>conents:</u> ytoin sodium: es cation Route sure time t es cation Route sure time t hogenicity - Assess- yl alcohol: es cation Route sure time	Result: nega er if swallowed. : Rat : Ingestion : 2 Years : negative : Mouse : Ingestion : 2 Years : positive : Limited evid : Mouse : Ingestion : 103 weeks	ative

Reproductive toxicity

Suspected of damaging fertility or the unborn child.



/ersio 6.7	on	Revision Date: 28.09.2024		S Number: 3749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016
<u>c</u>	Compo	onents:			
F	Pentok	parbital sodium:			
	Reprod	luctive toxicity - As- ent	:	Some evidence of animal experimen	f adverse effects on development, based on ts.
E	Ethanc	bl:			
E	Effects	on fertility	:	Test Type: Two-g Species: Mouse Application Route Result: negative	eneration reproduction toxicity study : Ingestion
F	Pheny	toin sodium:			
E	Effects	on fertility	:	Species: Rat Application Route Result: positive	uctive and developmental toxicity study : Ingestion on data from similar materials
E	Effects	on fetal development	:	Species: Rat Application Route Result: positive	uctive and developmental toxicity study : Ingestion on data from similar materials
	Reprod	luctive toxicity - As- ent	:		f adverse effects on sexual function and development, based on animal experiments.
E	Benzyl	alcohol:			
	-	on fertility	:	Species: Rat Application Route Result: negative	y/early embryonic development : Ingestion on data from similar materials
E	Effects	on fetal development	:	Test Type: Embry Species: Mouse Application Route Result: negative	o-fetal development : Ingestion
		single exposure s damage to organs (C	entr	al nervous system)	
<u>c</u>	Compo	onents:			
F	Pentok	parbital sodium:			
Т		of exposure Organs ment	::	Ingestion Central nervous s Causes damage t	

STOT-repeated exposure

May cause damage to organs (Central nervous system) through prolonged or repeated exposure.



sion	Revision Date: 28.09.2024	SDS Number: 673749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016
<u>Comp</u>	oonents:		
Pheny	ytoin sodium:		
-	s of exposure	: Ingestion	
	t Organs	: Central nervou	s system
	sment		uce significant health effects in animals at c
		centrations of	10 mg/kg bw or less.
Repea	ated dose toxicity		
Comp	oonents:		
Ethan	iol:		
Speci		: Rat	
NOAE		: 1.730 mg/kg	
	L ation Route	: 3.200 mg/kg : Ingestion	
	sure time	: 90 Days	
Expos			
Pheny	ytoin sodium:		
Specie	es	: Rat	
NOAE	EL	: > 100 mg/kg	
	ation Route	: Ingestion	
	sure time	: 13 Weeks	Constant for the second second second
Rema	rks	: Based on data	from similar materials
Specie		: Mouse	
NOAE		: > 10 - 100 mg/	
LOAE		: > 10 - 100 mg/	kg
	ation Route	: Ingestion : 13 Weeks	
Rema			from similar materials
Benzy Specie	/l alcohol:	: Rat	
NOAE		: 1,072 mg/l	
	ation Route	: inhalation (dus	t/mist/fume)
Expos	sure time	: 28 Days	
Metho	bd	: OECD Test G	uideline 412
Aspir	ation toxicity		
Not cl	assified based on ava	ailable information.	
Exper	rience with human e	xposure	
<u>Comp</u>	oonents:		
Pento	barbital sodium:		
Ingest	tion		/ mouth, mood swings, Dizziness, Headach al nervous system effects, Sweating
	ytoin sodium:		······



Ver 6.7	sion	Revision Date: 28.09.2024	-	DS Number: Date of last issue: 30.09.2023 Date of first issue: 12.05.2016		
	Ingestion		:	: Symptoms: Nausea, constipation, confusion, Vomiting, central nervous system effects, Dizziness, insomnia, Blood disorders, Liver disorders, Tremors, anorexia		
SEC	CTION 1	2. ECOLOGICAL INFO	ORN	MATION		
	Ecotox	licity				
	Compo	onents:				
	Pentob	parbital sodium:				
	Toxicity	<i>i</i> to fish	:	LC50 (Pimephales promelas (fathead minnow)): 49,5 mg/l Exposure time: 96 h		
	Ethanc	bl:				
	Toxicity	<i>t</i> to fish	:	LC50 (Pimephales promelas (fathead minnow)): 14.200 mg/l Exposure time: 96 h		
		<pre>v to daphnia and other invertebrates</pre>	:	EC50 (Ceriodaphnia dubia (water flea)): 5.012 mg/l Exposure time: 48 h		
	Toxicity plants	/ to algae/aquatic	:	ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h		
				EC10 (Chlorella vulgaris (Fresh water algae)): 11,5 mg/l Exposure time: 72 h		
	Toxicity icity)	v to fish (Chronic tox-	:	NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l Exposure time: 100 d		
	aquatio	v to daphnia and other invertebrates (Chron-	:	NOEC (Daphnia magna (Water flea)): 9,6 mg/l Exposure time: 9 d		
	ic toxic Toxicity	ity) / to microorganisms	:	EC50 (Protozoa): 5.800 mg/l Exposure time: 4 h		
	Phony	toin sodium:				
	-	/ to fish	:	EC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l Exposure time: 72 h Remarks: Based on data from similar materials		
		/ to daphnia and other invertebrates	:	Remarks: No toxicity at the limit of solubility.		
	•	alcohol:				
	-	∕ to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h		
		to daphnia and other invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202		
	Toxicity plants	∕ to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l		



rsion 7	Revision Date: 28.09.2024		0S Number: 3749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016
			Exposure time: 7 Method: OECD T	2 h Test Guideline 201
			mg/l Exposure time: 7	rchneriella subcapitata (green algae)): 310 2 h est Guideline 201
	ty to daphnia and other ic invertebrates (Chron- city)	:	Exposure time: 2	magna (Water flea)): 51 mg/l 1 d est Guideline 211
Persi	stence and degradabili	ity		
<u>Comp</u>	oonents:			
Ethan Biode	nol: gradability	:	Result: Readily b Biodegradation: Exposure time: 2	84 %
	ytoin sodium: gradability	:		y biodegradable. est Guideline 301C on data from similar materials
Benzy	yl alcohol:			
Biode	gradability	:	Result: Readily b Biodegradation: Exposure time: 1	92 - 96 %
Bioac	cumulative potential			
<u>Comp</u>	oonents:			
	iol: on coefficient: n- ol/water	:	log Pow: -0,35	
Phen	ytoin sodium:			
	on coefficient: n- ol/water	:	log Pow: 2,84 Remarks: Calcula	ation
Partiti	yl alcohol: on coefficient: n- ol/water	:	log Pow: 1,05	
	ity in soil Ita available			
	adverse effects ata available			



Version 6.7	Revision Date: 28.09.2024	SDS Number: 673749-00022	Date of last issue: 30.09.2023 Date of first issue: 12.05.2016						
SECTION	SECTION 13. DISPOSAL CONSIDERATIONS								
Disp	osal methods								

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number Proper shipping name Class Packing group	:	UN 1993 FLAMMABLE LIQUID, N.O.S. (Ethanol, Pentobarbital sodium) 3 III
Labels Environmentally hazardous	:	3 no
IATA-DGR UN/ID No. Proper shipping name	:	UN 1993 Flammable liquid, n.o.s. (Ethanol, Pentobarbital sodium)
Class Packing group Labels Packing instruction (cargo aircraft)	::	3 III Flammable Liquids 366
Packing instruction (passen- ger aircraft)	:	355
IMDG-Code UN number Proper shipping name	:	UN 1993 FLAMMABLE LIQUID, N.O.S.
Class Packing group Labels EmS Code Marine pollutant	:	(Ethanol, Pentobarbital sodium) 3 III 3 F-E, <u>S-E</u> no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.7	28.09.2024	673749-00022	Date of first issue: 12.05.2016

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legi mixture	slation specific for the substance or
Argentina, Carcinogenic Substances and Agents	: Not applicable

Registry. Control of precursors and essential chemicals for the : Ethanol preparation of drugs.

The ingredients of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	28.09.2024
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/

Full text of other abbreviations

ACGIH AR OEL	USA. ACGIH Threshold Limit Values (TLV) Argentina. Occupational Exposure Limits
ACGIH / STEL AR OEL / CMP	Short-term exposure limit TLV (Threshold Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-



Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2023
6.7	28.09.2024	673749-00022	Date of first issue: 12.05.2016

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8